

“Remember Me” Cookie-based Login

Jennifer Bourey

The Problem

- ★ Users don't always want to take the time to log in
- ★ Simple preferences aren't particularly secret
- ★ . . . But some other information might be
 - ★ Email
 - ★ Grades
 - ★ Etc.



Hey, it knows me!



Hello, Jen Bourey. We have [recommendations](#) for you. (Not [Jen Bourey?](#))

Jen's Amazon.com

Today's Deals

Gifts & Wish Lists

Gift Cards

It even knows what I like!


New For You®

The interface features a blue header with the text "New For You®". Below it, there are four product cards arranged in a row. Each card includes a small image of the product, its title, a brief description, and a discount offer.

- Metal Gear Solid: The Essential...**
[\(Why is this recommended for you?\)](#)
- Head First Servlets and JSP: Passing...**
Paperback by Bryan Basham, Kathy...
[\(Why is this recommended for you?\)](#)
- Dreaming in Code: Two Dozen...** Paperback by Scott Rosenberg
[\(Why is this recommended for you?\)](#)
- Guitar Hero Aerosmith**
[\(Why is this recommended for you?\)](#)

At the bottom left, there is a link: [▶ See more new releases](#).

OK, only *I* get to order
stuff



Logging in

Sign In

What is your e-mail address?

My e-mail address is

Do you have an Amazon.com password?

- No, I am a new customer.**
- Yes, I have a password:**

Sign in using our secure server 

[Forgot your password? Click here](#)

[Has your e-mail address changed since your last order?](#)

Requirements

- ★ Users identified, but not authenticated
- ★ Show interesting personal information
- ★ Hide sensitive institutional data
- ★ Users can't edit their layouts

CAS!

- ★ Users can't get institutional data without a CAS ticket

UI Challenges

- ★ Clear “remember me” and “forget me” links
- ★ Make clear whether users are logged in
- ★ Easy to log in

Just a guest

A screenshot of a web page with a dark blue header. The header contains navigation links: "Welcome" (highlighted in white), "News", "Help", and "Login using your NetID". Below the header, the date "Apr 25, 2008" and status "Visitor" are displayed.

Cookie-identified, no CAS authentication

A screenshot of a web page with a dark blue header. The header contains navigation links: "Welcome", "News", "Entertainment", "Help", and "Login using your NetID". Below the header, the date "Apr 25, 2008" and user name "Jennifer Bourey" are displayed. A message "Not logged in | This isn't me!" is shown next to a login link. On the right, there is a message "Please log in to edit page".


CAS-authenticated with no valid cookie

A screenshot of a web page with a dark blue header. The header contains navigation links: "Welcome" (with a pencil icon), "News", "Entertainment", "Help", and "Log out from CAS". Below the header, the date "Apr 25, 2008" and user name "Jennifer Bourey" are displayed. A message "Logged in | Remember me" is shown next to a logout link. On the right, there are three buttons: "Add Content", "Page Layout", and "Add tab".

CAS-authenticated with a valid cookie

A screenshot of a web page with a dark blue header. The header contains navigation links: "Welcome" (with a pencil icon), "News", "Entertainment", "Help", and "Log out from CAS". Below the header, the date "Apr 25, 2008" and user name "Jennifer Bourey" are displayed. A message "Logged in | This isn't me!" is shown next to a logout link. On the right, there are three buttons: "Add Content", "Page Layout", and "Add tab".

Authentication-required content



Less Ideal

My Calendar edit  

Calendars: Course Schedule Moon Phases US Holidays Work Yale Events

Range: [today](#) | [2 days](#) | [1 week](#) | [2 weeks](#)

The calendar "Course Schedule" requires a valid CAS session.

Tomorrow

10:12 AM Last Quarter Moon

12:00 PM "Slavery on Shifting Grounds: The Prohibition of the African Slave Trade and Brazilian Slavery in the 19th Century"

3:30 PM - 5:00 PM Development Workshop

4:00 PM "Meaning in the Margins of Yale Beinecke 229"

4:30 PM - 6:00 PM "Achieving Moral Clarity: Reflections for Grown-Up Idealists"

5:00 PM "Globalization of Manufacturing Industries: From My Personal Experience"

7:00 PM "The Thin Red Line"

 [Edit and download calendars](#)

- ★ Clear status indicators with graphics
 - ★ CAS-authenticated?
 - ★ Valid cookie?
- ★ Easy-to-find links
- ★ Helpful authentication messages in portlets with login links

Person Managers

- ★ Implement IPersonManager.java
- ★ One method: getPerson(request)
- ★ Returns an IPerson

SimplePersonManager

```
public IPerson getPerson (HttpServletRequest request) throws
    PortalSecurityException {
    HttpSession session = request.getSession(false);
    IPerson person = null;
    // Return the person object if it exists in the user's session
    if (session != null)
        person = (IPerson)session.getAttribute(PERSON_SESSION_KEY);
    if (person == null) {
        try {
            // Create a guest person
            person = PersonFactory.createGuestPerson();
        } catch (Exception e) {
            // Log the exception
            log.error("Exception creating guest person.", e);
        }
        // Add this person object to the user's session
        if (person != null && session != null)
            session.setAttribute(PERSON_SESSION_KEY, person);
    }
    return person;
}
```

userContext.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
       xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
       xsi:schemaLocation="http://www.springframework.org/schema/beans
                           http://www.springframework.org/schema/beans/spring-beans-2.5.xsd">

    <!--
        | The concrete IPersonManager implementation to be used
        +-->
    <bean id="personManager"
          class="org.jasig.portal.security.provider.SimplePersonManager" />

    <bean id="userInstanceManager"
          class="org.jasig.portal.user.UserInstanceManagerImpl" />

</beans>
```

What's a Guest User?

- ★ Authenticated=false
- ★ Guest user layout manager
- ★ By default, has the userid “guest”

UnionPersonManager

```
<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
       xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
       xsi:schemaLocation="http://www.springframework.org/schema/beans
                           http://www.springframework.org/schema/beans/spring-beans-2.5.xsd">

    <!--
        | The concrete IPersonManager implementation to be used
        +-->
    <bean id="personManager" class="org.jasig.portal.security.provider.UnionPersonManager">
        <property name="personManagers">
            <list>
                <bean class="org.jasig.portal.security.provider.CookiePersonManager"/>
                <bean class="org.jasig.portal.security.provider.SimplePersonManager"/>
            </list>
        </property>
    </bean>

    <bean id="userInstanceManager" class="org.jasig.portal.user.UserInstanceManagerImpl" />

</beans>
```

Creating Cookies

- ★ Cookies
 - ★ Userid
 - ★ Random string
- ★ Created by AJAX servlet
- ★ “Password” saved in database table

CookiePersonManager

- ★ Look for a cookie
- ★ Validate it against the database
- ★ If found, create a guest user with the userid of the cookie-identified user
- ★ Ask the PersonManager for user attributes
- ★ Set an “identified” attribute for the user

Alternate Approach

- ★ Authenticated, but not CAS
Authenticated
- ★ Check for cookie in filter
- ★ Pass to cookie security context

Other User Managers

- ★ URLParameterGuestManager
 - ★ Specify a guest via a URL parameter
 - ★ Guest must be on a whitelist
- ★ IPGuestManager
 - ★ Match guest names by IP regexes

Possible use cases

- ★ Set all campus kiosks to a home page with a special guest user
- ★ Have a different guest user for on and off-campus use
- ★ More? :)

Contact

Jennifer Bourey

jennifer.bourey@gmail.com